

PLAT APPLICATION	Prelimi	inary	Final
Application Fee: \$200.00 + \$5/Lo All applications must be accompa	anied by four (4) folded copies o	of the lot division survey	v. (All plans must be folded).
PROJECT NAME:		CT LOCATION: PARCEL I.I	D. NO:
PROPOSED USE:			
DATE OF SKETCH PLAT CONFEREN			
SITE ACREAGE: #	FLOTS: # UNITS:	SEWER:	SEPTIC TANK:
PROPERTY OWNER:		PHONE:	
ADDRESS:		EMAIL:	
CITY:	_ STATE	ZIP CODE:	
APPLICANT:		PHONE:	
ADDRESS:		EMAIL:	
CITY:	_ STATE	ZIP CODE:	
SURVEYOR / ENGINEER:		PHONE	
ADDRESS		EMAIL	
CITY:	_ STATE	ZIP CODE:	
for work as stated. This permit is grante jurisdiction including the zoning ordinan provisions of said ordinances. Construct	ed on the express condition that the sai nce, regulating the construction and us tion will begin no later than six month be deemed invalid. I agree to indemni	aid construction shall, in all resuse of buildings, and may be resus from the issue date of the pairs and hold the city harmless	nderstands that the Permit issued is only spects, conform to the ordinances of this evoked at any time upon violation of any permit. If any information is found to be from all damages, demands or expenses
Applicant Signature (Property Owne	er or Owner's Rep)	Date	



#### SUBMITTAL CHECKLIST

- 1. If resubmitting, provide all red-line comments and plats/plans.
- 2 Provide two (2) sets of storm system as-builts, bearing the design professional's seal and signature. Maximum sheet size shall be 30" x 42".
  - ✓ Drainage & detention facility
  - ✓ Storm drain system as-builts: plan & profile
  - ✓ As-Built Flood or Hydrology Study (if applicable)
  - ✓ Project name/address
  - ✓ Owner's name/address/phone
  - ✓ Design Firm name/address/phone
  - ✓ Engineer As-Built Detention Facility Certificate and Stormwater Maintenance Agreement
- 3. Provide five (5) sets of plats, bearing the design professional's seal and signature. Maximum sheet size shall be 17" x 22".
  - ✓ Cover Sheet
  - ✓ Zoning Conditions
  - ✓ Final Plat Survey
  - ✓ Location Map
  - ✓ Total & Disturbed Acreage and number of lots
  - ✓ North arrow and graphic scale
  - ✓ Project name/address
  - ✓ Owner's name/address/phone
  - ✓ Design Firm name/address/phone
  - ✓ FEMA map
  - ✓ Owner's Acknowledgement
  - ✓ Approval Signature Blocks
  - ✓ Revision Statement and signature block, if applicable.

## STORM AS-BUILT CHECKLIST

- 1. Provide Professional Engineer's seal and signature on As-Built drawings for stormwater management facilities.
- 2. DeKalb County water as-built approval required
- 3. DeKalb County sanitary sewer as-built approval required
- 4. List project name and the City of Stonecrest Land Disturbance Permit number.
- 5. Provide North Arrow



- 6. Indicate engineer's name, address, and phone number. Dates of revision shall be included and plans shall be signed and sealed by a Professional Engineer.
- 7. Depict Land Lot, Districts, Section, City, and County.
- 8. List owner's name, address, and telephone number and 24 hour contact name/local phone.
- 9. The as-built submittal shall be to scale on 24" x 36" sheets. Include a location map.
- 10. Street names shall match that of the final plat/LDP.
- 11. Show all new improvements:
  - A. Building/structure, parking lot with striping, sidewalks and/or trails, outdoor lighting, etc.
  - B. Right-of-Way improvements including roadway expansion, curb & gutter, sidewalks, striping, etc.
- 12. Show all building setback lines, zoning buffers, and landscape strips.
- 13. Show all adjacent property lines, subdivisions, and existing buildings.
- 14. Show all pipe crossings (storm drainage, sanitary sewer, water, and sewer laterals) on plan and profile views.
- 15. Indicate type of pipe, size, slope, and length of sanitary sewer, storm drainage system, and water. Delineate centerline of all streams, local and state stream buffers, and 100-yr floodplain.
- 16. Show all storm drainage structures indicated with identification, station number, top elevation, invert elevations (in and out).
- 17. Show ALL easements (water, sanitary sewer, drainage, access, utility, combination, etc.). All public easements must be recorded and clearly shown as such. All storm drain lines and conveyances shall have a drainage easement shown.
- 18. Show all storm drainage systems, including profile of storm pipes and detention ponds, and all offsite drainage easements. All storm drain lines and conveyances shall have a drainage easement shown.
- 19. Show the following on detention ponds:
  - A. Outlet structure with dimensions.
  - B. Indicate 25-yr. and 100-yr. storm elevations, volume of pond and how detention is provided if no pond is on site.



- 20. Provide City of Stonecrest As-Built Detention Facility Engineer's Certificate per Required Document Checklist (included in packet) signed and sealed by Professional Engineer. Show size, length and width of rip-rap at head walls.
- 21. All alterations and/or field changes must be reflected on as-built prior to final approval.
- 22. Performance and Maintenance Sureties (included in packet) are required prior to final approval of as-builts.
- 23. Provide a copy of the FIRM panel map on the front sheet. Show and label the location of the site.
- 24. Stormwater Facilities Maintenance Agreement: recorded with the Clerk of Superior Court of DeKalb County showing the Deed Book and Page Number on the Final Plat.
- 27. Provide the following Drainage Notes:

A. The owner of record, on behalf of himself (itself) and all successors in interest, specifically releases the City of Stonecrest from any and all liability and responsibility for, and the City of Stonecrest assumes no liability, but rather expressly disclaims any liability for: flooding or erosion from storm drains; flooding from high water of natural creeks, river or drainage features; maintenance of pipes, culverts or structures located outside of public right-of-way; or maintenance of natural creeks, river or drainage features. A drainage easement is hereby established for the sole purpose of providing for the emergency protection of the free flow of surface waters along all watercourses. The City may conduct emergency maintenance operations within this easement where emergency conditions exist. Emergency maintenance shall be the removal of trees and other debris, excavation, filling and the like necessary to remedy a condition, which in the judgment the City is potentially injurious to life, property or the public road or utility system. Such emergency maintenance, conducted for the common good, shall not be construed as constituting a continuing maintenance obligation on the part of the City of Stonecrest nor an abrogation of the City of Stonecrest's right to seek reimbursement for expenses from the owner/s of the property/ies of the lands that generated the conditions.

- B. Stream Buffers are to remain in a natural and undisturbed condition.
- C. Structures are not allowed in drainage easements.



#### GENERAL INFORMATION

- 1. The final plat shall be drawn clearly and legibly in black ink at a recommended scale of 1'' = 10' to 1'' = 100'.
  - a. The scale shall be stated as "1" inch to \_\_\_\_\_ ft. and shown graphically. If the complete plat cannot be shown on one sheet, then said plat shall be shown on several sheets with an index map indicated on each sheet.
  - b. The recommended sheet size shall be 17" x 22" with a minimum character height of .08 inches.
  - c. Provide a name or title for all maps or plats. The name of the former subdivision, Deed Book and Page number shall be stated on all sheets, if applicable.
- 2. Provide the following: City, County, District, and Land Lot; Date of plat preparation and each individual revision of record.
- 3. The name of the land surveyor, registration number, and seal shall be affixed to the plat under the surveyor's signature.
- 4. Provide the name, phone, and address of the owner of record; as appropriate), bearing the design professional's seal and signature. Maximum sheet size shall be 17" x 22". Cover Sheet Zoning Conditions Lot(s) Survey Location Map Total & Disturbed Acreage and number of lots North arrow and graphic scale Project name/address Owner's name/address/phone Design Firm name/address/phone FEMA map Owner's Acknowledgement Approval Signature Blocks Revision Statement and signature block, if applicable.
- 5. Provide the name and address of the sub-divider.
- 6. Provide a north arrow and graphic scale on all sheets and a vicinity map on the cover.
- 7. Show all land lot lines, district lines, and city and county boundaries labeled appropriately with words and figures.
- 8. Provide distances and bearings on all boundary or lot lines.
- 9. For lot splits and reconfigurations, show new property lines as bold. For combinations, show property line to be removed in grey and label as such. There must be common ownership to combine parcels.
- 10. Provide in the notes the reference for the angular bearings shown on the plat.
- 11. Provide a copy of the FIRM panel and the FIRM panel front cover on the plat. Show and label the location of
- 12. the site.
- 13. Provide in the notes the total number of lots and acreage of the tract of land being split, combined, or reconfigured.
- 14. Locate all fire hydrants and provide latitude/longitude coordinates.
- 15. Include a statement indicating the type of mail delivery available by the USPS, e.g., individual mailbox or central delivery; if applicable. Submit correspondence from USPS confirming mail delivery method is acceptable.
- 16. Show cluster mailbox station within common area or an easement; if applicable.
- 17. Provide street addresses as approved by the DeKalb County Geographic Information Systems Department.



REQUIRED CERTIFICATION	NS AND STATEMENTS
Provide the closure precision of the survey data shown on the for closure and is found to be accurate within one foot in	
2. PLAT APPROVAL	
This plat has been submitted to and accepted by the Communication Stonecrest, GA and has been approved as required by state law precedent to recording in the superior court of this circuit.	
Director, Department of Community Development	Date
If applicable, include a revision statement and revision number revised. Include a new approval statement under the revision s be kept on the plat with the original signature.	
3. OWNER'S ACKNOWLEDGEMENT (this must be the owner of r	record signed in BLACK ink).
I,, the owner of the land shown on this plat and acknowledges that this plat was made from an actual survey, a is hereby acknowledged, do hereby convey all streets indicated further dedicate to the use of the public forever all alleys, parked places hereon shown for the purposes and considerations here of this development plan and other valuable considerations, the City of Stonecrest from any and all claims, damages or demand construction and maintenance of the property shown hereon; ditches, cross-drains, culverts, water mains, sewer lines, and breasements shown; and on account of backwater, the collection changing of courses of streams. And further the owner warrant hereon and agrees that City of Stonecrest shall not be liable to claims or damages resulting from the construction or maintenastreets, culverts, curbs or sidewalks, the changing of courses of creeks and rivers, surface waters and any other matter whatsom sell and convey the land according to this plat and do hereby be defend by virtue of these present.	Ind for value received the sufficiency of which it as public streets and rights-of-way, and is, watercourses, drains, easements and public bin expressed. In consideration of the approval it is easement further releases and holds harmless its arising on account of the design, on account of the roads, fills, embankments, ridges within the proposed rights-of-way and it and discharge of surface water, or the its that he owns fee simple title to the property shown him/her, his/her heirs, successors or assigns for any since of cross-drain extensions, drives, structures, if streams and rivers, flooding from natural ever. I further warrant that I have the right to

The owner of record of the land shown on this plat and whose name is subscribed thereto in person or through a duly authorized agent, hereby acknowledges that this plat was made from an actual survey, and



dedicates to City of Stonecrest, as noted below, the complete ownership and use of all improvements constructed or to be constructed in accordance with this plat, and dedicates to the use of the public forever the following:

Public Street Right-of-Way	acres	
Drainage Easement	acres	
Public Access/Pedestrian Easements	acres	
Public Water/Sewer Easements to DeKalb County	acres	
In witness whereof, I have hereunto set my hand this (SEAL)	day of	 
(Owner)		
Witness:		
Notary Public.		

## 4. FLOOD HAZARD

The Special Flood Hazard Areas (SFHA) shown herein were determined by the Professional Engineer whose stamp and signature are affixed hereto. The City of Stonecrest does not, by approving this plat, warrant their accuracy, and does not imply that land outside the areas of flood hazard shown will be free from flooding or flood damage. Further, the City of Stonecrest does not by approving this plat nor accepting the public improvements therein, assumes maintenance of the flood carrying capacity of the flood areas or watercourses. Maintenance shall remain the responsibility of the owner(s) of the land upon which they exist. The owner of a lot or parcel that contains a flood hazard area is required to submit a site plan to the City of Stonecrest prior to the initiation of any improvements to the lot or parcel. The site plan shall include the location and elevation of the SFHA within the lot or parcel and the existing and proposed improvements. Approval of the site plan by the City of Stonecrest is required prior to the issuance of a building permit.

#### 5. DRAINAGE

The owner of record on behalf of himself (itself) and all successors in interest specifically releases the City of Stonecrest from any and all liability and responsibility for flooding or erosion from storm drains or from flooding from high water of natural creeks, river, or drainage features. A drainage easement is hereby established for the sole purpose of providing for the emergency protection of the free flow of surface waters along all watercourses as established by city regulations. The City may conduct emergency maintenance operations within this easement where emergency conditions exist. Emergency maintenance shall be the removal of trees and other debris, excavation, filling and the like, necessary to remedy a condition, which in the judgment of staff and Director, is potentially injurious to life, property, or the public road or utility system. Such emergency maintenance conducted for the common good shall not be construed as constituting a continuing maintenance obligation on the part of the City of Stonecrest nor abrogation of the City of Stonecrest right to seek reimbursement for expenses from the owner(s) of the property (ies) or the lands that generated the conditions.

NOTE: Stream Buffers are to remain in a natural and undisturbed condition.



NOTE: Structures, other than approved storm structures, are not allowed in drainage easements.

6. SURVEYOR'S ACKNOWLEDGEMENT		
correct representation of the land pla	or under my supervision, was made from an actual survey, and is a steed and has been prepared in conformity with the minimum standards	
and requirements of lawR.L.S. No		
N.L.3. NO	-	
7. Include the following statement un	der the F.I.R.M. panel:	
"According to the F.I.R.M. of DeKalb oproperty (is) or (is not) located in a Sp	ounty, panel number, dated May 16, 2013, a portion of this ecial Flood Hazard Area."	
8. Add this note to plat:		
"City of Stoncrest and DeKalb County across all easements."	personnel and/or agents shall have free and total access to and	
	WATERSHED MANAGEMENT (required for lot splits and reconfigs)	
	ed with the potable water requirements and the sanitary sewer	
requirements of the County.	20	
This day of	, 20	
ZONING		

- 1. Provide the zoning or variance case number and all conditions of zoning or variance on the plat and clearly indicate compliance with conditions. Provide adjacent properties' zoning classification.
- 2. Provide the current zoning for the property or tract of land being platted and zoning case number (if any). The following data shall also be stated on the plat:
  - ✓ Front Setback feet
  - ✓ Rear Setback feet
  - ✓ Side Interior Setback feet
  - ✓ Side Corner Setback feet
  - ✓ Minimum Heated Floor Area feet
  - ✓ Parking Space(s)/Dwelling Unit spaces
  - ✓ Minimum required Lot Area square feet
  - ✓ Minimum required Lot Frontage feet
  - ✓ Min. required Lot Width at Building Line feet
- 3. Show lot coverage area and percentage broken down by structures.
- 4. Provide and label applicable zoning buffers and landscape strips, existing structures, easements, sidewalks, existing and proposed rights of way, setbacks, etc.
- 5. Provide in the notes the total acreage of the entire site to the nearest 1/100 of an acre, and the total number of lots. Provide on plan view the area of each lot or parcel in square feet. Provide lot numbers and



addresses.

- 6. Show existing retaining walls and their heights from grade.
- 7. Provide the centerline of any stream, point of wrested vegetation, and the 25', 50' and 75' stream buffers.
- 8. Show limits of any flood zones and label appropriately.
- 9. Show sign easements, if applicable.
- 10. Show adjacent property owners and adjacent zoning districts.

## **TRANSPORTATION**

### General

- 1. Label distance of centerline of roadway to existing and proposed right-of-way; if applicable.
- 2. Label all private streets as Access Easement/Utility Easement
- 3. Show and label all lines and curves of roadway centerlines
- 4. Show line of sight at entrance(s) to subdivision. Provide sight distance certification.
- 5. Centerline line and curve data for all streets
- 6. Show and label all drainage structures
- 7. Roadway
- 8. Show and state all names for all subdivision streets and front road. Label the existing right of way and proposed right of way or access/utility easements (private roads).
- 9. Show and label all existing conditions including property lines, subdivisions, driveways, streets and alleys, utilities, pavement striping, etc. along the property frontage on both sides of the road. Include existing conditions to the next roadway intersection past property lines.
- 10. Label centerline line data for all roads (subdivision and existing roadway).
- 11. Label centerline curve data: showing angles of deflection and standard curve data including radii, length of arcs and tangent between curves, point of curvature (P.C) and point of tangency (P.T.) for subdivision and front road.

Sample Street Centerline Curve Chart

Street Centerline Curve Chart	
Curve Arc Radius Chord Chord Bearing	
CC1 50.62' 150.00 50.38' S68°38'06"W	
CC2 29.58' 350.00' 29.57' S68°38'06"W	
CC3 33.08' 350.00' 33.07' S68°38'06"W	

- 12. Label distance from back of curb to right of way. Show and state all names and right of way widths (existing and proposed) for all public streets (subdivision and front roads). Show dimensions for R/W to R/W, R/W to C/L, B/C to R/W, B/C to B/C, and E/P to E/P.
- 13. Show and label sidewalks/trail and curb and gutter along the entire property's road frontage. Show all sidewalk/trail and curb and gutter within the subdivision and label as future if not constructed.
- 14. Show radius of cul-de-sac to edge of pavement and to right-of-way.



- 15. Show all pavement striping (crosswalks, edge lines, arrows) and signage as installed.
- 16. Indicate location, dimensions, and purpose of any easements, including access/utility easements, slope easements, drainage easements, access easements, no access easements, landscaping easements, signage easements, sanitary sewer easements, wall easements, gate easements, sidewalk/trails easements etc.
- 17. Show all private utility vaults located outside of public right of way.
- 18. Show all public service utility lines and any easements.
- 18. If applicable, add note to final plat, "Home Owners Association shall maintain all common areas".
- 19. Label all common areas as "C.A."

# **Plat Fees**

Final Plats	Review	Inspection
First Review	\$200 +\$5/Lot	N/A
Second Review	\$200/Sheet	N/A
Third Review and Subsequent Reviews	\$200/Sheet	N/A
Final Inspection	N/A	No Fee